

物联网无线通信模块
物联网无线通信模块

支持ABS
支持/AUX/TF
支持V5.0
支持10
支持2.402-2.480GHz
支持20W
支持-32db
支持82dBm
支持3Mbps
UART支持115200bps
支持4.8V -5.2V DC
支持3.7V -4.2V DC
支持300MA
Quiescent Current: >1UA.
支持18650 /4500MAH
支持455*75*45mm

Portable Sound Bar

NSP-0222



Product Highlights:

Materials: ABS plastic

Functions: Bluetooth/AUX/TF

Bluetooth Version: V5.0

Range: 10meters

Frenquency: 2.402-2.480GHz.

MAX Power output: 20W

MIC Sensitivity: -32db

Receive Sensitivity :Better than +82dBm.

Data Transmission: Up to 3Mbps

UART Data Transmission Rate:115200bps

Charing Voltage : 4.8V –5.2V DC

Working Voltage: 3.7V –4.2V DC

Working Current: 300MA.


Quiescent Current: >1UA.

Battery : 18650 /4500MAH.

Product Size :455*75*45mm



Product size

















Android




ios



PC













□□□□

□□□□

- □□□□□□□□□□□□□□□□

Jaskey Limited □□□□□□□□□□“□□ 12 □”□□□□□□□□□□□□□□□□□□□□

- □□□□□□□□□□

□□□□□□□□□□ Sedex 4P□BSCI□ISO9001 □□□□□□□□□□□□□□□□

- □□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

- □□□□□□□□□□

□□□□□□□□□□SAWOLOL□□□□□□□□□□□□□□□□

- 1. 產品規格

產品規格請參閱 T/T 30% 預付，其餘 70% 請於出貨前付清。PayPal 亦可。

- 2. 產品包裝

產品包裝請參閱 CES 規格，如有任何問題請洽 info@jaskeyworld.com。

請參閱

- 3. OEM/ODM 服務

OEM/ODM 服務請參閱 CES 規格，如有任何問題請洽 3 個月內。

- 4. 產品認證

產品認證請參閱 CE、ROSH、FCC、BQB 等。

- 5. 產品價格

產品價格請參閱 3-7 頁。

產品價格請參閱 25-35 頁。

- 6. 產品圖

產品圖請參閱 CES 規格。

- 7. 產品說明

產品說明請參閱 CES 規格。

如有任何問題請洽 info@jaskeyworld.com。