$\hbox{$\square$} \hbox{$\square$} \hbox{$ABS$} \hbox{$\square$} \hbox{$\square$}$

____V5.0

 $\verb| | | | | | | | | | | 10m$


 $\square\square\square\square\square$ 70mAh

00001-200

___32Ω

 $\square \square \square \square 8mm$

One of the control of



Product Highlights

TWS Hook Single eadphone

Material: ABS Plastic

Bluetooth version: V5.0

Bluetooth distance: 10m

Battery Capacity: 70mAh

Playing time: 2-4hours

Charging time: 1-2hours

Impedance: 32Ω

Speaker:8mm

Interface type: Micro USB

Product size:3.2*2.22*4cm

UNIQUE SOUND CHARM



Lossless noise reduction



Small mini



Comfortable to wear



High performance 5.2 Bluetooth



Long <u>endura</u>nce



Fully compatible



Hi-fi sound quality



HD Voice



Sensitive operation



The collision between minimalist line design and two materials unlocks the process aesthetics and balances beauty and comfort



ERGONOMICS ANTI FALLING LUG TYPE


According to the shape of human auricle, disperse the force points of the ear to make the force on the ear uniform, Stable and not easy to fall



Comfortable to wear

COMFORTABLE TO WEAR AND CLOSE TO THE EAR

The front and rear vocal cavities are designed with 108 small elevation angles to lead to the balance of air pressure inside and outside the ear. A single earphone is as light as 3.5G, and there is no burden to wear. Three sizes of soft silicone earplugs are included, matching the ear canal without extrusion



One click Control INTELLIGENT CONTROL

Tap the key headset to realize music, call, voice assistant and other operations

Play / pause single click

Next song double-click

Last song
Three strikes

Answer the phone double-click

Hang up double-click

Voice assistant
Three strikes

Super standby


20 HOUR ENDURANCE CHARGE ONCE AND USE FOR ONE WEEK


1.5 hour Charging time

20hour
Continuous use time of single ear

200 hour Standby duration







quality FASHIONABLE AND DURABLE.



Jaskey Limited []
- 0000000000 000000000 Sedex 4P0BSCI0ISO9001 0000000000000000000000000000000000
- 000000000
- DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
- 0000000000 T/T000000 30% 00000000000000000000000 PayPal0000000000
- 000000000000000000000000000000000000
- OEM/ODM
DDDDDD OEM/ODM DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
- 000000000
- 000000000000000000000000000000000000
- DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
- 0000000000 00000000000000000000000000
- 0000000000 0000000000 3-7 000 00000000000 25-35 00 - 00000000