

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□: □□□□□□□ ABS

-□□□□□□□□: 3* □□□□□+8* □□□□□□□□□□□□□□

-□□□□□□□□□□□□□□□□□□□□□□□□: 360 °

□□□□□□□□□□□□□□□□□□□□□□□□

- □□□□□□□□□□□□: 3*□□□□□□□□□□ AA

-□□□□□□□□□□: 3-50 □□□□□□□ (□□□□□□□□□□□□□□□□□□□□□□)

- □□□□□□□ IP54

□□□□□□□□: □□□□□□□□□, □□□□□, □□□□□□□, □□□□□□□□□□□□□□□□, □□□□□□□□□□□

- □□□□□□□□□□□: 10.3*6.87 □□.



Car Emergency Light with Lamp

PLL-0004



Product Highlights

Car Emergency Light with Lamp

Materials: ABS plastic

-Light Modes: 3*White+8*

Amber Flashing

-Emergence Light Visibility:

360 ° International Standard

Amber Emergency Light

- Power supply: 3*AA battery

- IP54 Waterproof

-Working time: 3-50 hours

(depend on working mode)

Place Way: Magnet, Hook, Stand,

Triangle clip, Angle Adjustment

- Unit Size: 10.3*6.87CM



Multi - Lamp



Emergency Light




Waterproof

Application 1 -- Safety flash/SOS



6 Amber color SMD LED flash
for car emergency



Clip to the warning triangle

Application 2 -- Act as work light for vehicle repair



Inspect Tyre

12 * White color 5730 SMD high lighting





PRODUCT DISPLAY



- ① Foldable hook
- ② Retractable clip for safety triangle
- ③ Lock&unlock buckle
- ④ Amber flashing switch
- ⑤ White switch









□□□□□□□□ □□□□□□ :

- □□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□? □□□□□□□□□□□□□□?

Jaskey Limited 12

[illegible][illegible]

SEDEX 4P, BSCI, ISO9001

[illegible][illegible]

- □□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□?

Sawolol

- □□□□□□□□□□□□□□□□□□□□□□□□ □□□□□ □□□□□?

□□□□□□□□□□ t/t □□□□□□□□ (□□□□□□ 30%

000) 00000000000000000000 LC
000000000000000000000000000000;

PayPal, Western Union Alipay

- □□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□?

HKTEC Hong Kong Electronics Fair

CES Fair

Mail info@jaskeyworld.com

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ :

- OEM/ODM 是否可接受?

☐ OEM/ODM
 ☐ R&D

3

[illegible]

- □□□□□□□□□□□□□□□□□□□□□□□□□□□□?

CE, ROSH, FCC, BQB

[illegible]

: 3-7

: 25-35

- □□□□□□□□□□□□□□□□□□□□□□?

[illegible]

- □□□□□□□□□□□□□□□□□□□□□□□□□□□□?

[illegible]

info@jaskeyworld.com

☐!

□ □

Wireless Windmill LED NSP-0221
NSP-0243