

XX

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Protocol: IEEE 802.15.4-2006

Protocol: IEEE 802.15.4-2006

Protocol: IEEE 802.15.4-2006

Protocol: IEEE 802.15.4-2006

Frequency: 2.402-2.480GHz

Power: 20W

Power: -32dB

Power: +82dbm

Power: 3Mbps

UART: 115200bps

Charging: 4.8V -5.2V DC

Charging: 3.7V -4.2V DC

Charging: 300ma

Quiescent: > 1ua

Capacity: 18650 /4500mAh

Dimensions: 455*75*45 mm.



Portable Sound Bar

NSP-0222



Product Highlights:

Materials: ABS plastic

Functions: Bluetooth/AUX/TF

Bluetooth Version: V5.0

Range: 10meters

Frenquency: 2.402-2.480GHz.

MAX Power output: 20W

MIC Sensitivity: -32db

Receive Sensitivity :Better than +82dBm.

Data Transmission: Up to 3Mbps

UART Data Transmission Rate:115200bps

Charing Voltage : 4.8V –5.2V DC

Working Voltage: 3.7V –4.2V DC

Working Current: 300MA.


Quiescent Current: >1UA.

Battery : 18650 /4500MAH.

Product Size :455*75*45mm



Product size

















Android



ios



PC





