

耳塞式耳机 TWS

材质: ABS

Bluetooth 版本: 5.0

传输距离: 10m

单耳容量: 35mAh

充电盒容量: 250mAh

充电时间: 2H

续航时间: 3-5H

充电电压: DC5V / 1A

充电次数: 32 次

降噪深度: 85dB

频率范围: 2.4-2.48GHz

兼容性: 兼容大部分安卓手机、苹果 iPhone、Windows 10 系统

接口: 充电口, USB

尺寸: 4 \* 2 \* 3.5 cm

HS: 8517629400



# TWS Bluetooth Earphones

AEP-023





## TWS Bluetooth Earphones

Material: ABS

Bluetooth version: 5.0

Bluetooth distance: 10m

Earphone capacity: 35mAh

Charging box capacity: 250mAh

Charging time: 2h

Playing time: 3-5h

Charging standard: DC5V/1A

Internal resistance: 32 ohms

Signal to noise ratio: 85DB

Frequency response range: 2.4-2.48GHZ

Function: call function, support music,  
voice control, multi-point connection

Accessories: manual, USB cable

Earphone size: 4\*2\*3.5mm





Double magnetic trumpet



Exercise won't fall off




Heavy bass



Running doesn't throw you off

# Running doesn't throw you off

Open the cover and turn it on,  
connect Bluetooth immediately,  
and enjoy the music



Open the lid



Automatic connection




Lossless music

# Sport headphones






The two earphones switch freely



Compatible with iOS, Android,  
tablet and desktop computers









請提供詳細的技術規格書及樣品以進行 CES 測試  
請將規格書及樣品寄至 [info@jaskeyworld.com](mailto:info@jaskeyworld.com) 謝謝!

請提供詳細的 [技術規格書](#) 及 [樣品](#) **TWS**:

- 請提供詳細的技術規格書及樣品以進行 **OEM / ODM TWS** 測試嗎?

請提供詳細的技術規格書及樣品以進行 OEM / ODM 測試及 R & D 測試  
請將規格書及樣品寄至 [info@jaskeyworld.com](mailto:info@jaskeyworld.com) 謝謝!

- 請提供詳細的技術規格書及樣品以進行 **tws** 測試嗎?

請提供詳細的技術規格書及樣品以進行 TWS 測試  
請將規格書及樣品寄至 [info@jaskeyworld.com](mailto:info@jaskeyworld.com) 謝謝! CE, Rosh, FCC, BQB 測試

- 請提供詳細的技術規格書及樣品以進行測試嗎?

請提供詳細的技術規格書及樣品以進行 3-7 測試

請提供詳細的技術規格書及樣品以進行 25-35 測試

- 請提供詳細的技術規格書及樣品以進行 **TWS** 測試嗎?

請提供詳細的技術規格書及樣品以進行 TWS 測試  
請將規格書及樣品寄至 [info@jaskeyworld.com](mailto:info@jaskeyworld.com) 謝謝!

- 請提供詳細的技術規格書及樣品以進行 **TWS?** 測試嗎?

請提供詳細的技術規格書及樣品以進行 TWS 測試  
請將規格書及樣品寄至 [info@jaskeyworld.com](mailto:info@jaskeyworld.com) 謝謝!

請提供詳細的技術規格書及樣品以進行 **info@jaskeyworld.com** 測試嗎!



